


Simulation Modeling Activities of the NWCC

Tom Pagano, Jennifer Erxleben, Tom Perkins, Phil Pasteris
WCC-NRCS-USDA

Tom.Pagano@por.usda.gov

phone 503 414 3010



Natural Resources Conservation Service
National Water & Climate Center


Overview

Who we are

What modeling gets us

What we are doing

Where we are headed



NRCS Water and Climate Services 2005



Tom Perkins, Dave Garen, Jim Marron, Phil Pasteris, Jennifer Erxleben, Jolyne Lea, Tom Pagano

NRCS Water and Climate Services 2005

**Columbia
Snake**

Data


**Missouri
Platte**

**Colorado
Rio Grande
Alaska**

Modeling


Management

**Pacific
Coast**



Tom Perkins, Dave Garen, Jim Marron, Phil Pasteris, Jennifer Erxleben, Jolyne Lea, Tom Pagano

**Spring and Summer
Streamflow Forecasts
as of April 1, 2005**



**Seasonal
water volume forecasts**

**Issued monthly/bi-monthly
January-June**

**Primary driver: snowpack,
antecedent precipitation**

**Probabilistic but
most products deterministic**

**Four NRCS
forecast hydrologists**

Prepared by
USDA, Natural Resources Conservation Service
National Water and Climate Center
Portland, Oregon
<http://www.wcc.nrcs.usda.gov>

Potential benefits of simulation models

Improved water resource information for agricultural customers

**Explicit, quantitative estimates
of the effects of soil moisture on runoff**

**More realistic shapes to our error bounds
(reasonable max/min, etc) especially in arid regions**


Potential benefits of simulation models

Improved water resource information for agricultural customers

Explicit, quantitative estimates
of the effects of soil moisture on runoff

More realistic shapes to our error bounds
(reasonable max/min, etc) especially in arid regions

Forecasts of any parameter you can derive from a hydrograph:



An experimental setup (2005)

**Data: Daily Tmax/Tmin, Precip from ACIS/Snotel
Martyn Clark's quality control**

An experimental setup (2005)

**Data: Daily Tmax/Tmin, Precip from ACIS/Snotel
Martyn Clark's quality control**

Model: PRMS/MMS

An experimental setup (2005)

**Data: Daily Tmax/Tmin, Precip from ACIS/Snotel
M. Clark's quality control**

Model: PRMS/MMS


Spatial parameter estimation: GIS Weasel

**Non-spatial parameter calibration:
L. Hay iterative multi-objective
internal-state calibration routine**

Forecast uncertainty: vanilla ESP

USGS Modular Modeling System

Currently using
“off the shelf”
PRMS package





Calibration of PRMS Spatial Parameters

The GIS “Weasel”

Uses slope, aspect, elev, soils, veg type, veg density to define “Hydrologic Response Units” and associated model parameters

“1-button” Weasel recently developed and is being tested



Estimating non-spatial parameters

Traditional Approach

**Manually tweak parameters to minimize bias,
visually fit hydrograph to observed flow.
Not without its problems**


Estimating non-spatial parameters

Traditional Approach


**Manually tweak parameters to minimize bias,
visually fit hydrograph to observed flow.
Not without its problems**

Multi-step Automatic Calibration Scheme (Hay/USGS)

**Iteratively and automatically calibrate
model internal states.
Not without its problems**




Adjust radiation-related parameters.
Check if model seasonal cycle
matches “observed” radiation data.



Adjust radiation-related parameters.
Check if model seasonal cycle
matches “observed” radiation data.


Adjust evaporation parameters.
Check seasonal cycle against
“observed” potential ET data.



Adjust radiation-related parameters.
Check if model seasonal cycle matches “observed” radiation data.

Adjust evaporation parameters.
Check seasonal cycle against “observed” potential ET data.

Adjust water balance parameters.
Check annual flow volume vs obs.




Adjust radiation-related parameters.
Check if model seasonal cycle matches “observed” radiation data.

Adjust evaporation parameters.
Check seasonal cycle against “observed” potential ET data.

Adjust water balance parameters.
Check annual flow volume vs obs.

Adjust flow timing parameters.
Evaluate flow on peak flow days.



Adjust radiation-related parameters.
Check if model seasonal cycle matches “observed” radiation data.

Adjust evaporation parameters.
Check seasonal cycle against “observed” potential ET data.

Adjust water balance parameters.
Check annual flow volume vs obs.

Adjust flow timing parameters.
Evaluate flow on peak flow days.

Rinse and repeat 4-8 times.

PRMS-MMS


Calibration and Operations

16 headwater basins in diverse climates

NWCC personnel calibrated
spatial parameters (Oct 2004)

USGS has automatic procedure to
calibrate remaining parameters (Nov 2004)

USGS/USBR also running PRMS model in
Gunnison, San Juan, Rio Grande, Carson,
Yakima, so additional basins could be a
collaborative effort for 50 forecast points?



PRMS-MMS

Calibration and Operations


16 headwater basins in diverse climates




NWCC personnel calibrated
spatial parameters (Oct 2004)

USGS has automatic procedure to
calibrate remaining parameters (Nov 2004)


USGS/USBR also running PRMS model in
Gunnison, San Juan, Rio Grande, Carson,
Yakima, so additional basins could be a
collaborative effort for 50 forecast points?

Specific plans to increase roster
to ~35 based on user needs





Interim NRCS Spreadsheet-based output interface



Benchmarks

***Standard desktop computer (2.8 Ghz)
doing all 16 basins x 2 parameter sets:***

***Gathering water year data (**8 minutes**) and
running ESP (55 traces, **8 minutes**).***

Currently run on a scheduler 4x daily.

NRCS is trying to design a system that is...

Practical with limited personnel and hardware i.e. quick, automated.

Accurate, free of systematic biases, honestly articulates all sources of uncertainty, defensible.

NRCS is trying to design a system that is...

Practical with limited personnel and hardware i.e. quick, automated.

Accurate, free of systematic biases, honestly articulates all sources of uncertainty, defensible.

Takes advantage of agency data, especially snowpack.

Consistent with external (i.e. weather/climate) forecasts.

NRCS is trying to design a system that is...

Practical with limited personnel and hardware i.e. quick, automated.

Accurate, free of systematic biases, honestly articulates all sources of uncertainty, defensible.

Takes advantage of agency data, especially snowpack.

Consistent with external (i.e. weather/climate) forecasts.

Transparent to forecaster, user and researcher. Accessible, understandable and portable.

Modern, flexible, dynamic, and up-gradable.

Collaborative opportunities:

Database design

Data quality

Data assimilation

Automatic calibration

Uncertainty estimation

Bias adjustment

Trace weighting

Super-ensembles

Forecast combination

Products

Delivery

Communication

A recipe for simulation modeling success:

**Good timely data
“Intelligent Automation”
Friends willing to help**

A recipe for simulation modeling success:

**Good timely data
“Intelligent Automation”
Friends willing to help**

A hydrologist’s perspective:

**Operational hydrology is where meteorology was about 30 years ago.
Operational climatologists routinely consider 10 statistical and 12
simulation model outputs, many run at universities.
Why should operational hydrology be different???**

A recipe for simulation modeling success:

**Good timely data
“Intelligent Automation”
Friends willing to help**

A hydrologist’s perspective:

**Operational hydrology is where meteorology was about 30 years ago.
Operational climatologists routinely consider 10 statistical and 12
simulation model outputs, many run at universities.
Why should operational hydrology be different???**

**A goal: guidance from 5 defensible techniques.
Many models, many parameter sets, many partners.**

Thanks!